



Incredible Care for Incredible India



NIMBLES BIOTECH PVT.LTD.

In Painful...Inflammatory Conditions



ACEPRO

Aceclofenac 100mg + Paracetamol 500mg Tablets

Aceclofenac

- Potent analgesic action
- Effective anti-inflammatory effects
- Excellent GI safety profile
- Superior cardiovascular safety

Paracetamol

- Quick & gentle analgesic action
- Gold standard in safety

ACE amongst NSAID

Aceclofenac

Peripheral action

Paracetamol

Central action

Complete & Better Control Of Pain & Inflammation

An Indian study of Aceclofenac-paracetamol combination is

- Effective & well tolerated
- Relieves OA flare-up pain
- Rapid pain relief
- More effective than monotherapy

Expert Opin Pharmacother. 2009 Apr;10(5):727-35.

▪ Lumbago

▪ Dental pain

▪ Fractures

▪ Gynae pain

▪ Arthritis

▪ Post surgery

ACE

ACEPRO

ACE amongst NSAID

*Fast Relief from
Pain & Inflammation*

Acepro-MR

Aceclofenac 100 mg + Paracetamol 325 mg + Chlorzoxazine 250 mg Tablet

- Combination with Extra Factor - Muscle Relaxant
- Combination provides enhanced analgesic, anti-inflammatory & antipyretic action
- Multiple mode of action ensure better relief from the symptoms
- Possesses favourable gastric safety profile compared to other NSAIDs combination

In

- Acute Muscle Spasm
- Low Back Pain
- Muscle Spasm associated with Spondylosis
- Muscular Cramp
- Traumatic Injury



Acepro-MR Treat Pain & Spasm Effectively

Overcome the whirls of

Pain
Inflammation
Swelling

ACEPRO SP
Aceclofenac 100mg + Paracetamol 500mg + Serratiopeptidase 15mg

The ACE Combination

Aceclofenac

- Trusted analgesic & anti-inflammatory agent
- Good GI tolerability

Paracetamol:

- Provides synergistic analgesic effect
- Quick relief from pain

Serratiopeptidase:

- Clears cell debris & haematomas
- Reduces associated swelling

Wound pain Post-surgery
Sprains & strains Gynae pain
Fractures Dental pain

ACEPRO SP **The ACE Combination**

When flexibility is gone due to muscle spasm

ACEPRO - $\frac{TH4}{TH8}$
Aceclofenac 100mg + Thiocolchicoside 4mg/ 8mg Tablet

Aceclofenac (The NSAIDs of Choice)

- Effective and well tolerated drug in osteoarthritis¹
- Effectively treats the pain associated with primary dysmenorrhoea²
- More effective NSAID, compare to diclofenac & piroxicam

Thiocolchicoside (A natural glycoside)

- Preferred option for the LBP with muscle spasms³
- Significantly reduces intensity of pain⁴

In

Low Back Pain, Traumatic Injury, Menstrual pain

Osteoarthritis, Degenerative Vertebral Disorders

Spondylitis, Fibromyalgia

ACEPRO - $\frac{TH4}{TH8}$
Restores the Flexibility

1. J Indian Med Assoc. 2008 May;106(5):331-8. 2. J Indian Med Assoc. 2012 Jan;110(1):56-8.
3. Curr Med Res Opin. 2006 May;22(5):977-88. 4. Eur J Obstet Gynecol Reprod Biol. 2006 Dec

In difficult to treat infections due to beta-lactamase threat

AMOXYRICH-CV

Amoxicillin 500 mg + Clavulanic Acid 125 mg Tab.



Over Power Resistant Pathogens

- ❖ Effective against a broad range of pathogens
- ❖ Offers high success rate in pneumonia (94%), Tonsillitis (89%), Sinusitis (90%)
- ❖ Provides cure rate of 95% in UTI; better than oral cephalosporins

In

- Acute Otitis media
- URTI
- Dental Infections
- PID

AMOXYRICH-CV

The Clever Approach

When *Infection* Strikes ➡



AMOXYRICH-CV

Amoxicillin 200 mg, Clavulanic acid 28.5 mg Dry Syrup

The Dual Power To Hit Infections



- Offers wide bactericidal action
- More effective than amoxicillin alone¹
Curr Med Res Opin. 1998;11(5):505-52
- Better choice over macrolides²
Pediatric Infectious Disease Journal
- Well tolerated & highly effective in children³
Antimicrob Chem. 1999;42:405-6

All *Streptococcus pneumoniae* isolates were sensitive to coamoxiclav and to cefixime, while they showed variable resistance to the other antibiotics

J Indian Med Assoc. 2011 Apr 10;90(24):2, 244

A 2-week course of amoxicillin clavulanate achieves cough resolution in a significant number of children with chronic wet cough associated with bacterial bronchitis

Thorax. 2012 Aug;67(8):689-93

Amoxicillin clavulanate is effective in treating severe CAP in 2-month-to 5-year-old hospitalized children

New Paediatr Safet Public. 2011 Jun;29(3):444-50

- URT/LRT infections
- Genito-urinary infections
- Skin & soft tissue infections
- Post-operative infections

Now available with water for injection



AMOXYRICH-CV

The Dual Power To Hit Infections

**Dare to go beyond
Conventional
Antibiotic Therapy**

AZIFORT ²⁵⁰/₅₀₀

Azithromycin 250/ 500 mg Tablet

- High efficacy in eradicating gram positive, gram negative, atypical & anaerobic bacteria
- Excellent patient tolerability and safety profile
- Short course of therapy and once daily dosage increases patient compliance

In

- Sinusitis
- Pharyngitis & Tonsillitis
- Acute Otitis Media
- Pneumonia & Bronchitis
- Skin & Soft Tissue Infection
- Urinary Tract Infection



AZIFORT

For Better Clinical Results



In Progesterone deficiencies

BABISURE- $\frac{250}{500}$

Hydroxyprogesterone 250/ 500mg Injection

- Provide the required amount of progesterone
- Helps in complete gestation
- Helpful in patients with history of abortion
- Safe with minimum adverse events

In

- Threatened Abortion
- Habitual Abortion
- Dysfunctional Uterine Bleeding
- Polycystic Ovarian Syndrome

BABISURE *Fulfill the Higher Need*

Control Dizziness


BETAROUND

Betahistine 8/16 mg Tablet


- Provides fast relief from the symptoms of dizziness
- Stimulates the release of histamine agonists action
- H1receptor & antagonistic action on H3 receptor
- Found to increases the levels of neurotransmitters such as serotonin in the brainstem, which inhibits the activity of vestibular nuclei
- Safe with no reported major adverse effects

In

- Vertigo
- Balance Disorders
- Dizzy Spells
- Meniere's Disease
- Vestibular Disturbances



BETAROUND Controls Dizziness, Restores Normal Life




**FOR
EASY
BREATHING**

BRONCOGARD

Bromhexine 8 mg + Terbutaline 2.5 mg + Guaiaphenesin 100 mg + Menthol 5 mg/ 10ml (Expectorant)

- Provides strong mucolytic action that causes lysis of thick deposited mucus
- Expectoration action expels mucus out of respiratory tract
- Relieves chest congestion & helps in easy breathing



In

- Productive Cough
- Asthmatic Cough
- Cough associated with Bronchitis


BRONCOGARD For Easy Expectoration

The **Rising** POWER Against Infections

CEFIRISE™-200

Cefixime 200 mg Tablets

The Winning Antibacterial



Chemotherapy 1986;4(1):31-4

| Cefixime has excellent results in RTI | |
|---------------------------------------|------|
| Cure Rate | 100% |
| Bronchitis | 98% |
| Chronic bronchitis | 96% |
| Otitis media | 100% |
| Pneumonia | |

Antimicrob Agents Chemother. 2001 September; 45(9): 2450-2454

- Broad spectrum of action
- Low MIC levels against most pathogens¹
- Least chances of resistance
- Beta-lactamase stable
- Excellent tissue & fluid penetration²

1. International Journal of Antimicrobial Agents, 2002; 19(4):285-90. 2. Infection, 1995; 23(2):91-94.

Cefixime : A Drug Of Choice In Typhoid

Cefixime inhibits the growth of bacteria of serovar Typhimurium & Typhi inside the cells

Cefixime : Suitable For Switch-over Therapy

Cefixime has similar in-vitro activity to cefotaxime & ceftriaxone. It has a prolonged half-life, allowing for once-a-day dosing & has excellent tissue penetration thus making it a choice of drug for switch therapy

• Typhoid fever • Otitis media • Pharyngitis • Acute bronchitis • UTI

Also available as

CEFIRISE™-100DT

The Winning Antibacterial



Rising High Amongst Antibacterial

CEFIRISE-50TM

Cefixime 50 mg / 5 ml Dry Syrup

Protects Childhood Against Harsh Infections



- ✓ Active against gram+ve & gram-ve bacteria
- ✓ Stable in the presence of beta-lactamase
- ✓ Excellent tissue & fluid penetration
- ✓ Least chances of resistance


Cefixime is a drug of choice for treating multidrug-resistant typhoid

Indian Med Assn 2007;109(10):582-85

Cefixime is a treatment of choice in MDR & non-MDR typhoid fever particularly in children. Cefixime showed clinical efficacy of 100% with low relapse rate. All strains are sensitive to cefixime

Pharmacol Therapeut Sci 2003;42(5):48

Cefixime in community-acquired infections



Community-acquired infections, such as AOM, LRTI and UTI, caused by susceptible pathogens, can be treated with cefixime, as a good choice for a successful clinical response

Pharmacol Therapeut Sci 2003;42(5):48

- Respiratory tract infections
- Typhoid fever
- Urinary tract infections
- Skin & soft tissue infections


Now available with water for injection



Two Powerful Actions for Sure Shot Relief

CEFIRISE-AZ

Cefixime 200 mg + Azithromycin 250 mg Tablet



- Dual mode of action ensure complete clearance of pathogens¹
- Provides broad spectrum of action with maximum coverage
- Useful as empirical therapy for various types of infections
- Shown to be well tolerated with acceptable safety profile¹

In

- Typhoid
- Severe Respiratory Tract Infection
- Serious Skin & Soft Tissue Infections
- Complicated Urinary Tract Infection



CEFIRISE-AZ

The Powerful Duo For Infection to Go

**Fix
Victory
over
Growing
Resistant
Pathogens**

CEFIRISE-CV

Cefixime 200mg + Clavulanic Acid 125mg **Tablets**

- Clavulanic acid increases the clinical usefulness of Cefixime
- Ensure complete bacterial eradication of gram positive, gram negative & resistant pathogens
- Minimises the chances of therapy failure due to resistant microorganisms
- Ensures high clinical results

In

- Sinusitis
- Pharyngitis & Tonsillitis
- Acute Otitis Media
- Pneumonia
- Bronchitis
- Skin & Soft Tissue Infections
- Urinary Tract Infections



Also available

CEFIRISE-CV Dry Symp.

Cefixime 50mg + Clavulanic Acid 31.25mg Dry symp.

CEFIRISE-CV FIXES RESISTANT PATHOGENS

ESBL Producing Bacteria Cause Extremely High Level of Resistance

In Such Cases When Monotherapy Alone Is Not Sufficient

CEFIRISETM

Cefixime 200mg + Ofloxacin 200mg

Complete Coverage To Fight Tough Infections

CFO



Typhoid

RTI

UTI

SSTI

Nosocomial infections

Intra-abdominal infections

Unique synergistic Dual Mode Of Action^{1,2}

• Cefixime-Inhibits cell wall synthesis

• Ofloxacin-Prevents nucleic acid synthesis

100% clinical efficacy with minimal rate of recurrence

Lowest MIC against ESBL Pathogens

Unmatched efficacy & safety

Gives better patient compliance

CEFIRISETM

Complete Coverage To Fight Tough Infections

1. Boorg Med Chem Lett. 2010;10(21):3034-7.
2. Med Chem. 2010 June;33(1):77-86.

Dual Action for Dual Condition of **Nausea & Hyperacidity**

CHILSTOM-D^{Cap.}

Pantoprazole 40 mg + Domperidone 30 mg SR

• Suppresses acid release thus controls the symptoms of hyperacidity

• Domperidone controls nausea & provides GI Prokinetic action


• Trusted combination with satisfactory clinical results

In Nausea associated with:

- Hyperacidity
- Heartburn
- Peptic Ulcers
- GERD

Also Available

CHILSTOM Injection
Pantoprazole 40 mg



CHILSTOM D Dual Action for Dual Condition

Single
Day Treatment Combipack
for Both Partners

To
FIGHT
Against
Vaginal
Infections

- Vaginitis
- Candidiasis
- Trichomoniasis
- Infective Leucorrhea
- Mixed Infection
- Pruritus Vulvae

Fegi-3DTM Kit

Each Kit Contains 1 Tab Fluconazole 150mg,
1 Tab Azithromycin 1gm, 2 Tab Secnidazole 1gm



The Power Of Three..Sets Your Patients Free

- 1 **Fluconazole** : Effective antifungal action with least relapse rate¹
- 2 **Azithromycin** : Superior antibacterial with excellent cure rate²
- 3 **Secnidazole** : Potent anti-protozoal with longer duration of action³

Azithromycin :
One hour before lunch
Fluconazole :
After lunch
Secnidazole :
At bedtime after dinner

"The combination kit of azithromycin, secnidazole & fluconazole is effective, safe, better tolerated & is more convenient to take in all cases of PID"⁴

"Combination kits are effective with efficacy of 95-98%. The kit allows good compliance, complete treatment with 100% cure rate & low relapse rate for both partners"⁵

FEG

Fegi-3DTM Kit

The Power Of Three..Sets Your Patients Free

1. Clin Exp Obstet. 2009; 2009: 1304.
2. Indian Journal of Obstetrics and Gynecology 2008.
3. Indian Journal of Obstetrics and Gynecology 1994; 44: 122.
4. Internal Journal of Gynecology and Obstetrics. 2006 Volume 5 Number 2.
5. Bombay Hospital Journal.

In Pregnancy & Lactation

FerrogudTM

Ferrous Ascorbate 100mg + Zinc Sulphate Monohydrate 61.8 mg (eq. to elemental Zinc 22.5mg) + Folic Acid

The feel gud haematinic

Ferrous ascorbate

- Superior bioavailability¹
- No GI irritation
- Devoid of interaction with food
- Maintains long term compliance

Zinc : Promotes growth & development

Folic acid : Helps in the formation of RBCs

Ferrous ascorbate, Folic acid & Zinc : An Indian Study²

- Increased the Hb levels from 8.950 to 11.91
- 92% of patients reported good to excellent tolerability
- Exhibits excellent gastro-intestinal tolerability
- Positive effect on pregnancy outcome like gestational age & birth weight

FRG

- Pregnancy & lactation
- Anaemia

- Menorrhagia
- Growing age

- Post surgery
- General weakness

Ferrogud *The feel gud haematinic*

When pain is associated with neuropathic conditions

GLADLIFE-G

Mecobalamin 500mcg + Gabapentin 300mg Tablet

- An ideal combination to relieve painful neuropathy
- Nurtures Neurons along with control pain
- Safety well established in various conditions

US FDA approved

In

Neuritis
Diabetic Neuropathy
Painful Neurological conditions
Fibromyalgia
Post Herpetic Neuralgia

Also Available

GLADLIFE-1500

Methylcobalamin 1500mcg Injection

GLADLIFE-G

FOR HEALTHY & PAIN FREE NEURONS



In the management of Severe Neuropathy . . .

GLADLIFE-PLUS

Methylcobalamin 1000mcg + Nicotinamide 100mg + Pyridoxine 100mg + D-Panthenol 50mg **Injection**

- ❖ Improves nerve functions
- ❖ Regulates enzymatic metabolic activity
- ❖ Improves symptoms like pain & numbness
- ❖ Provides nutrition to all neurons
- ❖ Offers beneficial effect on nerve reflection & conduction velocity



- | | |
|-----------------------------------|-----------------------------------|
| * Chronic Debilitating Conditions | * Diabetic Neuropathy |
| * Severe Peripheral Neuropathy | * Neuropathy due to Haemodialysis |

GLADLIFE-PLUS For Strong Neurons

The **Gud**ness of antio**xi**dant

Gudoxi™

Lycopene + Multivitamins + Multiminerals



Improves The Quality Of Life

- | | |
|---------------------|--------------------|
| * Stress | * General weakness |
| * Cardiac disorders | * Convalescence |
| * Diabetes | * Cancer |
| * Male infertility | * Skin ailments |

- * Powerful antioxidant (100 times more than Vit. E)
- * Boosts immunity
- * Imparts fresh energy

GDX

Lycopene is Cardioprotective^{1,2}

- * Reduces myocardial injury after ischemia
- * Reduces oxidation of LDL cholesterol
- * Reduces the risk of atherosclerosis



Gudoxi™

Improves The Quality Of Life

1. Molecular and Cellular Biochemistry 2006;288:1-9. 2. Nutr. Metab. Cardiovasc. Dis. 1997;7:433-441. 3. J. Clin. Invest. 2006;116:2331-2344

In Male Infertility




GudoxiTM


Lycopene + Multivitamins + Multiminerals

Turns Hope Into Reality

Lycopene Improves All Parameters Of Sperm¹



Lycopene Prevents Pre-eclampsia & IUGR²



GDG

* Lycopene has a favourable effect on serum lipids & oxidative stress markers in postmenopausal women³

- Male infertility
- Pre-eclampsia
- IUGR
- Post-menopause
- Breast cancer

GudoxiTM

Turns Hope Into Reality

1. Indian Journal of Urology 2005;19(1): 3-7. 2. Obstet Gynecol 2005;105(2):298-304. 3. Int J of Gyn. and Obst. 2003;257-62

In the Management of **ALLERGY**

NEVOCiT

Levocetirizine 5mg Tabs.

Acts Faster.. Acts Longer



Levocetirizine has superior anti-inflammatory action than cetirizine¹

Levocetirizine produced greater symptom relief than desloratidine⁴

Levocetirizine has longer duration of action than fexofenadine⁵

- Potent antihistaminic & anti-inflammatory action¹
- Quickly relieves symptoms of allergy
- Once a dosage compliance
- Non-sedative²

Allergic Rhinitis

Urticaria

Atopic Eczema

Allergic Dermatitis

In

Allergic Asthma

Allergic Conjunctivitis

NEVOCiT

Acts Faster.. Acts Longer

NCT

1. Allergy Asthma Immunol 2002;57(1):100-107. 2. Allergy Asthma Immunol 2002;57(1):100-107. 3. Allergy Asthma Proc 2008;29(4):480-8. 4. Int J Clin Pharm 2004;26(5):521-525. 5. J Clin Pharmacol 2005;45(1):24-27

Give Total Relief from Cold

NIVOCIT COLD

Levocetirizine 2.5 mg + Phenylephrine 5 mg +
Paracetamol 325 mg + Caffeine 30 mg Tablets

- Controls the symptoms of allergy like runny nose
- Controls high body temperature and pain
- Relieves nasal congestion & helps in easy breathing
- Provides mood elevation and gives a good feeling

In _____

- Seasonal Cold
- Allergic Cough & Cold



NIVOCIT COLD FOR TOTAL RELIEF FROM COLD

An Effective Solution to Allergic Rhinitis

NIVOCIT-M

Levocetirizine 5 mg + Montelukast 10 mg Tablet

- Dual mode of action ensures better relief from the symptoms
- Better improvement in both day time & night time symptoms
- Better improvement in quality of life of patients
- Provides fast improvement in condition

In

- Seasonal Allergic Rhinitis
- Perennial Allergic Rhinitis
- Allergic Asthmatic Conditions

According to Journal of Indian Medical Association

"Anti-allergic medicines (e.g. some antihistamines) can cause adverse events such as somnolence and can have an additional negative impact on quality of life. Combining montelukast with Levocetirizine gives additional benefits in comparison with either drug alone and could be considered for patients whose quality of life is impaired by persistent allergic rhinitis".¹

NIVOCIT-M

1. J Indian Med Assoc. 2009 Aug;107(8):562-4.

Easy Name for Easy Relief from Allergic Rhinitis


In Hyperacidity..Stop the Damage Process

NEVORABTM

Rabeprazole 20 mg Tablets

Protects & Heals The Gut

Rabeprazole has better acid control than other PPI's¹



- Quick suppression of acidity²
- Reduces nocturnal secretions³
- Excellent healing rates with low relapse rates⁴
- Few drug interactions

Hyperacidity

Peptic ulcer

GERD

NSAID induced ulcer

NEVORABTM

Protects & Heals The Gut

1. Postgraduate Medical Journal, 2002; 75: 485-488.

2. Aliment Pharmacology & Therapeutics, 21(10): 991-1000.

3. J Biol Chem 1997; 272: 22428-46.

4. Medicine Digestive Diseases and Sciences, 2000; 45(5): 844-853.

In Hyperacidity Associated With *Dyspepsia*

NEVORAB-DTM

Rabeprazole 20 mg, Domperidone 30 mg SR

Relieves Acidity...Treats *Dyspepsia*

Rabeprazole

Effective PPI

Quickly suppresses acidity

Better control of acidity, dyspepsia & vomiting

Domperidone

Safe prokinetic

Restores gut motility

Peptic ulcer

Dyspepsia

GERD

Heart burn

94%
Physician

Excellent Or Good Relief
Rabeprazole & Domperidone¹

86%
Patients

NRD

Combination of Rabeprazole & Domperidone¹

- Provides desired relief from symptoms of GERD
- Is well tolerated
- Improves the quality of life

1. J Indian Med Assoc. 2008 Apr;109(4):284, 286, 288.

• Immediate relief from acidity & nausea/vomiting

• Precise & consistent control of acidity

• Maintains therapeutic effect overnight



NEVORAB-DTM

Relieves Acidity...Treats *Dyspepsia*

Attack Pathogens with **Better** Efficacy & Safety

NIPOD-200

Cefpodoxime 200 mg Tablet

Better Efficacy

- Covers gram positive & gram negative pathogens
- Provides better antimicrobial action than Cefixime against respiratory pathogens
- Demonstrates parenteral efficacy in oral form

Better Safety & Tolerability

- Well tolerated by patients of all age group
- Found to cause minimum adverse events


Also Available

NIPOD-50

Cefpodoxime 50 mg Dry Syrup

Better than Co-amoxiclav¹

- In a treatment of Sinusitis Oral Cefpodoxime found to be better compared to Co-amoxiclav



In

- Sinusitis
- Pharyngitis & Tonsillitis
- Acute Otitis Media
- Pneumonia & Bronchitis
- Skin & Soft Tissue Infections
- Urinary Tract Infections

1. Presse Med. 2006 Jan;35(1 Pt 1):33-8.




NIPOD

Results with Better Efficacy & Safety

For complete coverage against mixed infections

OFROUND-OZ^{Tab.}

Ofloxacin 200 mg + Ornidazole 500 mg



- ✗ The versatile antibacterial & antiprotozoal
- ✗ Prevents re-occurrence & free of adverse effects
- ✗ Rapid control on infections
- ✗ Rapidly checks intestinal & extra intestinal amoebiasis & enteropathogens

In

- Gastroenteritis
- Amoebiasis
- Pelvic Inflammatory Diseases
- Diarrhoea and Dysentery
- Dental Infections
- Post Surgical Infections

Also Available

OFROUND-200

Ofloxacin 200 mg

Tab.


OFROUND-OZ Complete Control On Mixed Infections

For **Reliable Results** in Severe Infection

ONOREND

Ceftriaxone 250 / 500 / 1000 mg Injection

250
500
1000



- Rapid clinical response ¹
- No relapse in Meningitis after 10 days therapy ²
- More active than Cefotaxime against P. aeruginosa ³
- No significant side effects even in children ²

In

- | | |
|-------------------------------------|--|
| * Bacteremia | * Skin & Soft Tissue Infections |
| * Septicemia | * Gynae / Obstet Infections |
| * Meningitis | * Urinary Tract Infections |
| * Pneumonia & Bronchitis | * Post Surgical Conditions |

ONOREND Set to Get **Reliable Results**

1. Antimicrob Agents Chemother. 1985 October; 28(4): 540-543. 2. Lancet. 2011 May 28;377(9780):1837-45. 3. Antimicrobial Agents Chemother. 1981, August; 20(2):159-167



ALSO AVAILABLE

ONOREND-S ²⁵⁰₅₀₀₁₀₀₀

Ceftriaxone 250/ 500/ 1000 mg Injection

Resistant Pathogens can lead to Severe Infections

ONOREND-S

Ceftriaxone 1000 mg + Sulbactam 500 mg Injection

- Covers wide range of aerobic & anaerobic bacteria including difficult to kill *Pseudomonas* sp.
- Acts on betalactamase producing resistant strains
- Satisfactory clinical results with cure rate above 90%
- Well tolerated by patients with high safety profile



- Bacteremia
- Speticemia
- Meningitis
- Pneumonia & Bronchitis
- Skin & Soft Tissue Infection
- Gynae / Obstet Infection
- Urinary Tract Infection
- Post Surgical Condition

ONOREND-S

Suitable Combination in Severe Infection

Aqueous base **Painless** Diclofenac **Injection**

OSTIRITIS-75

DICLOFENAC 75 ml/ml Injection

- Minimal pain at site of injection
- Provides prompt relief from symptoms of pain & inflammation
- Strong action provides potent anti-inflammatory effect
- Helps in fast reduction of inflammatory conditions
- Can be given as intra-deltoid, intragluteal & as IV infusion



In

- Traumatic Injury
- Musculo-Skeletal Condition
- Severe Arthritic Pain
- Acute Low back pain
- Muscular Sprain
- Post-operative pain

OSTIRITIS-75 **Painless 1ml Diclofenac Injection**

Effective Management of Inflammatory Symptoms . . .

OSTIRITIS-SP

Diclofenac Potassium 50 mg + Paracetamol 325 mg + Serratiopeptidase 10 mg Tablets

Diclofenac Potassium:

- **Selective COX-II inhibitor**
- **Relieves pain & inflammation**

Paracetamol:

- Works in conjunction with NSAIDs for **enhanced analgesia**
- **Relieves pain & fever**

Serratiopeptidase:


- Offers **anti-inflammatory, anti-oedemic & fibrinolytic activity**
- Ensures **better penetration** of the drug

In

- **Post-Operative Inflammatory Conditions**
- **Post-Partum Hematomas**
- **Traumatic Injury**
- **Dental Pain**

Ostiritis-SP

**Combination that effectively counters
Pain & Inflammation**



Be sure of success against

Tough Pathogens

REVIVED—T Inj.

Piperacillin 4 gm + Tazobactam 500 mg

- Provides broader spectrum of coverage than other betalactam-betalactamase inhibitor combinations
- Comparative studies suggests greater clinical & microbiological outcomes in severe hospitalised patients
- Offers high patient tolerability with minimum reported adverse events

REVIVED—T
SUCCESS IS **SURE**

In

Bacteremia & Septicemia

Meningitis

Pneumonia & Bronchitis

Skin & Soft Tissue Infection

Urinary Tract Infection

Post surgical Condition

